ELSEVIER

Gene Structure and Expression

Vol. 1219, 1994

BBA Biochimica et Biophysica Acta

Author Index

AB, G., see Smidt, M.P. (1219) 115
Adachi, T., see Kawauchi, H. (1219) 179
Ajuh, P.M. and Maden, E.B.
Chemical secondary structure probing of two highly methylated regions in *Xenopus laevis* 28S ribosomal RNA (1219) 89
Akiyama, K., Seki, S., Oshida, T. and Yoshida, M.C.
Structure, promoter analysis and chromosomal assignment of the human *APEX* gene (1219) 15
Akiyama, S., Endo, H., Inohara, N., Ohta, S. and Kagawa, Y.
Gene structure and cell type-specific expression of the human ATP synthase α subunit (1219) 129
Albone, E., see DeStefano, J.J. (1219) 380
Alonso, C., see Soto, M. (1219) 533
Androphy, E.J., see Chen, J.J. (1219) 189
Aniello, F., see Fucci, L. (1219) 539
Anson, D.S. and Occhiodoro, T.
Transcriptional activity of the CD45 gene promoter in retroviral vector constructs (1219) 81
Antoniou, M., see Pruzina, S. (1219) 351
Anwar, R.A., see Manohar, A. (1219) 233
Asiedu, C.K., Scotto, L., Assoian, R.K. and Ehrlich, M.
Binding of AP-1/CREB proteins and of MDBP to contiguous sites downstream of the human TGF-β1 gene (1219) 55
Assairi, L.M.
DNA unknotting activity (DNA topoisomerase II) isolated from a thermophilic archaebacterium *Sulfolobus* is inhibited by novobiocin. Partial purification, identification of the two subunits and characteristics of the enzyme (1219) 107
Assoian, R.K., see Asiedu, C.K. (1219) 55

Backus, J.W., Schock, D. and Smith, H.C.
Only cytidines 5′ of the apolipoprotein B mRNA mooring sequence are edited (1219) 1
Bae, Y.M. and Hastings, J.W.
Cloning, sequencing and expression of dinoflagellate luciferase DNA from a marine alga, *Gonyaulax polyedra* (1219) 449
Baldo, B.A., see O'Neill, G.M. (1219) 521
Baldwin, G.S., see Zhang, Q.-X. (1219) 567
Bambara, R.A., see DeStefano, J.J. (1219) 380
Bandlow, W., see Schmalix, W.A. (1219) 205
Bannasch, P., see Rempel, A. (1219) 660
Beauseigle, D., see Boivin, R. (1219) 201
Beesley, C.E., Smith, R.J., Temple, S.J. and Lea, P.J.
Cloning and nucleotide sequence of the gene encoding dinitrogenase reductase (*nif*H) from the cyanobacterium *Nostoc* 6720 (1219) 548
Bellemare, G., see Boivin, R. (1219) 201
Beppu, T., see Kawauchi, H. (1219) 179
Berk, J.L., see Krupsky, M. (1219) 335
Beyreuther, K., see Sandbrink, R. (1219) 167
Bezard, J., see Gianquinto, L. (1219) 223
Biffali, E., see Fucci, L. (1219) 539
Bjarnason, J.B., see Guðmundsdóttir, Á. (1219) 211
Boivin, R., Hamel, F., Beauseigle, D. and Bellemare, G.
Stage-specific transcription of the homeobox gene *Bnhd1* in young tissues and flowers of *Brassica napus* (1219) 201
Boldogkői, Z., see Kaliman, A.V. (1219) 151
Bonass, W.A., Kirkham, J., Brookes, S.J., Shore, R.C. and Robinson, C.
Isolation and characterisation of an alternatively-spliced rat amelogenin cDNA: LRAP – a highly conserved, functional alternatively-spliced amelogenin? (1219) 690
Booth, I.R., see Nakamura, T. (1219) 701
Borden, K.L.B.
Two mutant binding sites of the activating transcription factor region within the E2A promoter of adenovirus exist in a novel conformation (1219) 505
Borthwick, I., see Gaëta, B.A. (1219) 307
Bosch, L., see Van Wezel, G.P. (1219) 543
Bost, F., see Diarra-Mehrpour, M. (1219) 551
Bourbouloux, A., see Li, Z.-S. (1219) 389
Bourguignon, J., see Diarra-Mehrpour, M. (1219) 551
Branno, M., see Fucci, L. (1219) 539
Breitenbach, M., see Swoboda, I. (1219) 457
Briolay, A., Rousset, B. and Roux, B.
Nuclear proteins interacting with DNA and tubulin. Study of the interaction of the High Mobility Group protein 1 with tubulin (1219) 39
Brochu, G., Duchaine, C., Thibeault, L., Lagueux, J., Shah, G.M. and Poirier, G.G.
Mode of action of poly(ADP-ribose) glycohydrolase (1219) 342
Brookes, S.J., see Bonass, W.A. (1219) 690
Brown, J.W.S., see Leader, D.J. (1219) 145
Brown, T., see Hendry, P. (1219) 405
Brown, W.M., Zhou, L. and Taylor, G.R.
The nucleotide sequence of the murine Hox-D3 (Hox-4.1) gene reveals extensive identity with the human protein (1219) 219
Butler, G. and Wolfe, K.H.
Yeast homologue of mammalian Ran binding protein 1 (1219) 711

Camilloni, G., see Venditti, P. (1219) 677
Chao, J., see Wang, D.-z. (1219) 171
Chao, L., see Wang, D.-z. (1219) 171
Charnay, P., see Krämer, B. (1219) 413
Chen, J.J., McNealy, D.J., Dalal, S. and Androphy, E.J.
Isolation, sequence analysis and characterization of a cDNA encoding human chaperonin 10 (1219) 189
Chen, K.-S. and DeLuca, H.F.
Isolation and characterization of a novel cDNA from HL-60 cells treated with 1,25-dihydroxyvitamin D-3 (1219) 26
Chibazakura, T., Kitajima, S., Yonaha, M. and Yasukochi, Y.
Enhancement of bacterial transcription initiation in vitro by the 74 kDa subunit of human general transcription factor IIF (RAP74) (1219) 592
Christoffels, V.M., see Kok, R.G. (1219) 601
Collins, A.R., Fleming, I.M. and Gedik, C.M.
In vitro repair of oxidative and ultraviolet-induced DNA damage in supercoiled nucleoid DNA by human cell extract (1219) 724
Connelly, S., see Leader, D.J. (1219) 145
Conway de Macario, E., see Yao, R. (1219) 697
Cornell, R.B., see Kalmar, G.B. (1219) 328
Cornett, L.E., see Deng, C.-l. (1219) 669
Costanzo, G., see Venditti, P. (1219) 677

Cotinot, C., see Gianquinto, L. (1219) 223
Couette, B., Le Ricousse, S., Fortin, D., Rafestin-Oblin, M.E. and Richard-Foy, H.
The establishment of the long terminal repeat of the mouse mammary tumor virus into CV-1 cells allows a functional analysis of steroid receptors (1219) 607
Craik, C.S., see Guðmundsdóttir, Á. (1219) 211

Dalal, S., see Chen, J.J. (1219) 189
Deed, R.W., Jasiok, M. and Norton, J.D.
Nucleotide sequence of the cDNA encoding human helix-loop-helix Id-1 protein: identification of functionally conserved residues common to Id proteins (1219) 160
Delrot, S., see Li, Z.-S. (1219) 389
DeLuca, H.F., see Chen, K.-S. (1219) 26
Deng, C.-l. and Cornett, L.E.
Regulation of α_{1b}-adrenergic receptor gene expression in rat liver cell lines (1219) 669
DeStefano, J.J., Wu, W., Seehra, J., McCoy, J., Laston, D., Albone, E., Fay, P.J. and Bambara, R.A.
Characterization of an RNase H deficient mutant of human immunodeficiency virus-1 reverse transcriptase having an aspartate to asparagine change at position 498 (1219) 380
Diarra-Mehrpour, M., Bourguignon, J., Sarafan, N., Bost, F., Sesboüé, R., Muschio-Bonnet, F. and Martin, J.-P.
Tandem orientation of the inter-α-trypsin inhibitor heavy chain H1 and H3 genes (1219) 551
DiDonato, S., see Montermini, L. (1219) 237
Do, Y.S., see Smith, D.L. (1219) 465
Donahue, J.P., Sugg, N. and Hawiger, J.
The integrin α_v gene: identification and characterization of the promoter region (1219) 228
Donovan, G.R., see O'Neill, G.M. (1219) 521
Dooley, S., see Seib, T. (1219) 285
Duchaine, C., see Brochu, G. (1219) 342

Eakin, A.E., see Guðmundsdóttir, Á. (1219) 211
Ebel, S., see Hendry, P. (1219) 405
Ebina, K., Sakagami, H., Yokota, K. and Kondo, H.
Cloning and nucleotide sequence of cDNA encoding Asp-hemolysin from *Aspergillus fumigatus* (1219) 148
Ehrlich, M., see Asiedu, C.K. (1219) 55
Elliott, C.E., see Rampersad, V. (1219) 563
Endo, H., see Akiyama, S. (1219) 129
Engel, M., see Seib, T. (1219) 285

Fang, F.C., see Prince, R.W. (1219) 198
Faxén, M. and Isaksson, L.A.
Functional interactions between translation, transcription and ppGpp in growing *Escherichia coli* (1219) 425
Fay, P.J., see DeStefano, J.J. (1219) 380
Filipowicz, W., see Leader, D.J. (1219) 145
Fine, A., see Krupsky, M. (1219) 335
Finocchiaro, G., see Montermini, L. (1219) 237
Fleming, I.M., see Collins, A.R. (1219) 724
Flowers, K.M., see Mellor, H. (1219) 693
Flynn, A., Shatsky, I.N., Proud, C.G. and Kaminski, A.
The RNA-binding properties of protein synthesis initiation factor eIF-2 (1219) 293
Fodor, I., see Kaliman, A.V. (1219) 151
Foldes, R.L., see Rampersad, V. (1219) 563
Fortin, D., see Couette, B. (1219) 607
French, N.S. and Norton, J.D.
Analysis of retrotransposon families in genomic DNA by two-dimensional restriction mapping: detection of VL30 insertions in mouse thymic lymphoma (1219) 484
Fucci, L., Aniello, F., Branno, M., Biffali, E. and Geraci, G.
Isolation of a new H3.3 histone variant cDNA of *P. lividus* sea urchin: sequence and embryonic expression (1219) 539
Fujii, G., see Tooi, O. (1219) 121
Fujii-Kuriyama, Y., see Yamada, K. (1219) 581
Furuya, K.N., Gebhardt, R., Schuetz, E.G. and Schuetz, J.D.
Isolation of rat pgp3 cDNA: evidence for gender and zonal regulation of expression in the liver (1219) 636

Gaëta, B.A., Borthwick, I. and Stanley, K.K.
The 5′-flanking region of the α2MR/LRP gene contains an enhancer-like cluster of Sp1 binding sites (1219) 307
Gannon, F., see Morrison, C. (1219) 493
Gaudi, S., see Simonic, T. (1219) 706
Gebhardt, R., see Furuya, K.N. (1219) 636
Gedik, C.M., see Collins, A.R. (1219) 724
Geraci, G., see Fucci, L. (1219) 539
Gianquinto, L., Pailhoux, E.A., Bezard, J., Servel, N., Kirszenbaum, M. and Cotinot, C.
Cloning and characterization of a full-length cDNA coding for ovine aldolase B from fetal mesonephros (1219) 223
Giussani, F., see Simonic, T. (1219) 706
Glumoff, V., Savontaus, M., Vehanen, J. and Vuorio, E.
Analysis of aggrecan and tenascin gene expression in mouse skeletal tissues by Northern and in situ hybridization using species specific cDNA probes (1219) 613
Goldstein, R.H., see Krupsky, M. (1219) 335
Grivell, L.A., see Mulder, W. (1219) 713
Grivell, L.A., see Mulder, W. (1219) 719
Grosveld, F., see Pruzina, S. (1219) 351
Guðmundsdóttir, Á., Óskarsson, S., Eakin, A.E., Craik, C.S. and Bjarnason, J.B.
Atlantic cod cDNA encoding a psychrophilic chymotrypsinogen (1219) 211

Ha, Q.N., see Strauss, K.I. (1219) 435
Hamel, F., see Boivin, R. (1219) 201
Hanada, K., see Kawauchi, H. (1219) 179
Hastings, J.W., see Bae, Y.M. (1219) 449
Hawiger, J., see Donahue, J.P. (1219) 228
Hay, S.M., see Saqib, K.M. (1219) 398
Hayashida, H., see Hotokezaka, H. (1219) 175
Hayman, G.T. and Miernyk, J.A.
The nucleotide and deduced amino acid sequences of a peptidyl-prolyl *cis-trans* isomerase from *Arabidopsis thaliana* (1219) 536
Heberle-Bors, E., see Swoboda, I. (1219) 457
Hellingwerf, K.J., see Kok, R.G. (1219) 601
Hendry, P., Moghaddam, M.J., McCall, M.J., Jennings, P.A., Ebel, S. and Brown, T.
Using linkers to investigate the spatial separation of the conserved nucleotides A_9 and G_{12} in the hammerhead ribozyme (1219) 405
Hensel, G., see Krämer, B. (1219) 413
Hersey, S., see Reuben, M. (1219) 321
Hewitt, J., see Matsuyama, A. (1219) 559
Hill, R.J., see Raman, V. (1219) 441
Hinuma, S., Hosoya, M., Ogi, K., Tanaka, H., Nagai, Y. and Onda, H.
Molecular cloning and functional expression of a human thyrotropin-releasing hormone (TRH) receptor gene (1219) 251
Holstege, F.C.P., Van der Vliet, P.C. and Timmers, H.Th.M.
Instability of human TATA-binding protein CAG triplet repeats during amplification by PCR (1219) 157
Holthuis, J.C.M., Schoonderwoert, V.T.G. and Martens, G.J.M.
A vertebrate homolog of the actin-bundling protein fascin (1219) 184
Horinouchi, S., see Kawauchi, H. (1219) 179
Hosoya, M., see Hinuma, S. (1219) 251
Hotokezaka, H., Hayashida, H., Ohara, N., Nomaguchi, H., Kobayashi, K. and Yamada, T.

Cloning and sequencing of the *gro*ESL homologue from *Porphyromonas gingivalis* (1219) 175
Hsueh, W.A., see Smith, D.L. (1219) 465
Hudrisier, D., see Pascolo, E. (1219) 98
Hurst, J., see Pruzina, S. (1219) 351
Hwang, J., see Morgan, E.T. (1219) 475

Ichihara, A., see Nothwang, H.G. (1219) 361
Inohara, N., see Akiyama, S. (1219) 129
Inuyama, Y., see Oridate, N. (1219) 499
Isaacs, K.R., see Strauss, K.I. (1219) 435
Isaksson, L.A., see Faxén, M. (1219) 425
Ito, J., see Zhu, W. (1219) 260
Ito, J., see Zhu, W. (1219) 267
Itoh, R., see Yamada, K. (1219) 302
Itoh, R., see Yamada, K. (1219) 581

Jacobowitz, D.M., see Strauss, K.I. (1219) 435
Jasiok, M., see Deed, R.W. (1219) 160
Jeffers, M. and Pellicer, A.
Identification of multiple promoters within the N-*ras* proto-oncogene (1219) 623
Jefferson, L.S., see Mellor, H. (1219) 693
Jeltsch, A., see Wenz, C. (1219) 73
Jennings, P.A., see Hendry, P. (1219) 405
Joe, T.W., McLenachan, P.A. and Mansfield, B.C.
Sequence of a novel pregnancy-specific β_1-glycoprotein C-terminal domain (1219) 195
Johansen, E., see Nilsson, D. (1219) 141
Johansen, T., see Nordnes, S. (1219) 529
Joo, H.-K., see Song, K.-B. (1219) 163
Jung, G., see Zhu, W. (1219) 260

Kagawa, Y., see Akiyama, S. (1219) 129
Kaliman, A.V., Boldogkői, Z. and Fodor, I.
Large and small subunits of the Aujeszky's disease virus ribonucleotide reductase: nucleotide sequence and putative structure (1219) 151
Kalmar, G.B., Kay, R.J., LaChance, A.C. and Cornell, R.B.
Primary structure and expression of a human CTP:phosphocholine cytidylyltransferase (1219) 328
Kamboj, R.K., see Rampersad, V. (1219) 563
Kaminski, A., see Flynn, A. (1219) 293
Kanda, N., see Yamada, K. (1219) 581
Kaslow, D.C., see Shahabuddin, M. (1219) 191
Kato, H., see Yamada, K. (1219) 581
Kawauchi, H., Sasaki, J., Adachi, T., Hanada, K., Beppu, T. and Horinouchi, S.
Cloning and nucleotide sequence of a bacterial cytochrome $P\text{-}450_{VD25}$ gene encoding vitamin D-3 25-hydroxylase (1219) 179
Kay, R.J., see Kalmar, G.B. (1219) 328
Kimball, S.R., see Mellor, H. (1219) 693
Kimura, M., Takatsuki, A. and Yamaguchi, I.
Blasticidin S deaminase gene from *Aspergillus terreus* (*BSD*): a new drug resistance gene for transfection of mammalian cells (1219) 653
Kirkham, J., see Bonass, W.A. (1219) 690
Kirszenbaum, M., see Gianquinto, L. (1219) 223
Kitajima, S., see Chibazakura, T. (1219) 592
Kobayashi, K., see Hotokezaka, H. (1219) 175
Koga, K., see Kusakabe, T. (1219) 555
Kok, R.G., Christoffels, V.M., Vosman, B. and Hellingwerf, K.J.
A gene of *Acinetobacter calcoaceticus* BD413 encodes a periplasmic peptidyl-prolyl *cis-trans* isomerase of the cyclophilin sub-class that is not essential for growth (1219) 601
Kondo, H., see Ebina, K. (1219) 148
Koo, H.-S., see Park, S.M. (1219) 47
Kraft, D., see Swoboda, I. (1219) 457
Krämer, B., Meichle, A., Hensel, G., Charnay, P. and Krönke, M.
Characterization of an Krox-24/Egr-1-responsive element in the human tumor necrosis factor promoter (1219) 413
Krauss, S., see Nordnes, S. (1219) 529
Krawczyk, Z., see Lisowska, K. (1219) 64
Kress, H., see Lanio, W. (1219) 576
Krönke, M., see Krämer, B. (1219) 413
Krupsky, M., Fine, A., Berk, J.L. and Goldstein, R.H.
Retinoic acid-induced inhibition of type I collagen gene expression by human lung fibroblasts (1219) 335
Kusakabe, T., Koga, K. and Sugimoto, Y.
Isolation and characterization of cDNA and genomic promoter region for a heat shock protein 30 from *Aspergillus nidulans* (1219) 555

LaChance, A.C., see Kalmar, G.B. (1219) 328
Lagueux, J., see Brochu, G. (1219) 342
Lanio, W., Swida, U. and Kress, H.
Molecular cloning of the *Drosophila virilis* larval glue protein gene *Lgp-3* and its comparative analysis with other *Drosophila* glue protein genes (1219) 576
Laston, D., see DeStefano, J.J. (1219) 380
Law, R.E., see Smith, D.L. (1219) 465
Lea, P.J., see Beesley, C.E. (1219) 548
Leader, D.J., Connelly, S., Filipowicz, W. and Brown, J.W.S.
Characterisation and expression of a maize U3 snRNA gene (1219) 145
Leavitt, M.C., see Zhu, W. (1219) 260
Lee, S.-K., see Song, K.-B. (1219) 163
Le Ricousse, S., see Couette, B. (1219) 607
Li, N., Sood, G.K., Seetharam, S. and Seetharam, B.
Polymorphism of human transcobalamin II: substitution of proline and/or glutamine residues by arginine (1219) 515
Li, Z.-S., Noubhani, A.M., Bourbouloux, A. and Delrot, S.
Affinity purification of sucrose binding proteins from the plant plasma membrane (1219) 389
Libby, S.J., see Prince, R.W. (1219) 198
Lisowska, K., Krawczyk, Z., Widłak, W., Wolniczek, P. and Wiśniewski, J.
Cloning, nucleotide sequence and expression of rat heat inducible hsp70 gene (1219) 64

Ma, J.-x., see Wang, D.-z. (1219) 171
Macario, A.J.L., see Yao, R. (1219) 697
MacGillivray, R.T.A., see Matsuyama, A. (1219) 559
Maden, E.B., see Ajuh, P.M. (1219) 89
Malcovati, M., see Simonic, T. (1219) 706
Mandel, M., see Premaratne, S. (1219) 422
Manohar, A. and Anwar, R.A.
Evidence for the presence of a functional TATA box (ATAAAA) sequence in the gene for bovine elastin (1219) 233
Mansfield, B.C., see Joe, T.W. (1219) 195
Martens, G.J.M., see Holthuis, J.C.M. (1219) 184
Martin, J.-P., see Diarra-Mehrpour, M. (1219) 551
Masters, C.L., see Sandbrink, R. (1219) 167
Matsuba, Y., see Nakamura, T. (1219) 701
Matsuyama, A., Yamamoto-Otake, H., Hewitt, J., MacGillivray, R.T.A. and Nakano, E.
Nucleotide sequence of the phosphotransacetylase gene of *Escherichia coli* strain K12 (1219) 559
Mayer, D., see Rempel, A. (1219) 660
McCall, M.J., see Hendry, P. (1219) 405
McCoy, J., see DeStefano, J.J. (1219) 380
McLenachan, P.A., see Joe, T.W. (1219) 195
McNealy, D.J., see Chen, J.J. (1219) 189
Meichle, A., see Krämer, B. (1219) 413

Mellor, H., Flowers, K.M., Kimball, S.R. and Jefferson, L.S.
Cloning and characterization of a cDNA encoding rat PKR, the double-stranded RNA-dependent eukaryotic initiation factor-2 kinase (1219) 693
Miernyk, J.A., see Hayman, G.T. (1219) 536
Mitra, A. and Que, Q.
Ectopic expression of a viral adenine methyltransferase gene in tobacco (1219) 244
Miyashita, H., Yonekura, H., Unno, M., Suzuki, Y., Watanabe, T., Moriizumi, S., Takasawa, S. and Okamoto, H.
Characterization of the 5′-regulatory region of rat *Reg I* gene (1219) 241
Moghaddam, M.J., see Hendry, P. (1219) 405
Montermini, L., Wang, H., Verderio, E., Taroni, F., DiDonato, S. and Finocchiaro, G.
Identification of 5′ regulatory regions of the human carnitine palmitoyltransferase II gene (1219) 237
Morales, G., see Soto, M. (1219) 533
Morgan, E.T., Thomas, K.B., Swanson, R., Vales, T., Hwang, J. and Wright, K.
Selective suppression of cytochrome *P*-450 gene expression by interleukins 1 and 6 in rat liver (1219) 475
Moriizumi, S., see Miyashita, H. (1219) 241
Morris, B.J., see Smith, D.L. (1219) 465
Morrison, C. and Gannon, F.
The impact of the PCR plateau phase on quantitative PCR (1219) 493
Mower, H.F., see Premaratne, S. (1219) 422
Mulder, W., Scholten, I.H.J.M., Nagelkerken, B. and Grivell, L.A.
Isolation and characterisation of the linked genes, *FPS1* and *QCR8*, coding for farnesyl-diphosphate synthase and the 11 kDa subunit VIII of the mitochondrial bc_1-complex in the yeast *Kluyveromyces lactis* (1219) 713
Mulder, W., Scholten, I.H.J.M., Van Roon, H. and Grivell, L.A.
Isolation and characterisation of the linked genes *APA2* and *QCR7*, coding for Ap_4A phosphorylase II and the 14 kDa subunit VII of the mitochondrial bc_1-complex in the yeast *Kluyveromyces lactis* (1219) 719
Murphy, L.D. and Zimmerman, S.B.
Macromolecular crowding effects on the interaction of DNA with *Escherichia coli* DNA-binding proteins: a model for bacterial nucleoid stabilization (1219) 277
Muschio-Bonnet, F., see Diarra-Mehrpour, M. (1219) 551

Nagai, Y., see Hinuma, S. (1219) 251
Nagelkerken, B., see Mulder, W. (1219) 713
Nakamura, T., Matsuba, Y., Yamamuro, N., Booth, I.R. and Unemoto, T.
Cloning and sequencing of a K^+ transport gene (*trk A*) from the marine bacterium *Vibrio alginolyticus* (1219) 701
Nakano, E., see Matsuyama, A. (1219) 559
Negri, R., see Venditti, P. (1219) 677
Nilsson, D. and Johansen, E.
A conserved sequence in tRNA and rRNA promoters of *Lactococcus lactis* (1219) 141
Nishi, S., see Oridate, N. (1219) 499
Nomaguchi, H., see Hotokezaka, H. (1219) 175
Nordnes, S., Krauss, S. and Johansen, T.
cDNA sequence of zebrafish (*Brachydanio rerio*) translation elongation factor-1α: molecular phylogeny of eukaryotes based on elongation factor-1α protein sequences (1219) 529
Norton, J.D., see Deed, R.W. (1219) 160
Norton, J.D., see French, N.S. (1219) 484
Nothwang, H.G., Tamura, T., Tanaka, K. and Ichihara, A.
Sequence analyses and inter-species comparisons of three novel human proteasomal subunits, HsN3, HsC7-I and HsC10-II, confine potential proteolytic active-site residues (1219) 361
Noubhani, A.M., see Li, Z.-S. (1219) 389
Nutt, S.L., see Rampersad, V. (1219) 563
Occhiodoro, T., see Anson, D.S. (1219) 81
Ogi, K., see Hinuma, S. (1219) 251
Ohara, N., see Hotokezaka, H. (1219) 175
Ohta, S., see Akiyama, S. (1219) 129
Okamoto, H., see Miyashita, H. (1219) 241
Onda, H., see Hinuma, S. (1219) 251
O'Neill, G.M., Donovan, G.R. and Baldo, B.A.
Cloning and characterization of a major allergen of the house dust mite, *Dermatophagoides pteronyssinus*, homologous with glutathione *S*-transferase (1219) 521
O'Rand, M.G., see Richardson, R.T. (1219) 215
Oridate, N., Nishi, S., Inuyama, Y. and Sakai, M.
Jun and Fos related gene products bind to and modulate the GPE I, a strong enhancer element of the rat glutathione transferase P gene (1219) 499
Oshida, T., see Akiyama, K. (1219) 15
Óskarsson, S., see Guðmundsdóttir, Á. (1219) 211

Pailhoux, E.A., see Gianquinto, L. (1219) 223
Park, S.M. and Koo, H.-S.
Purification of *Caenorhabditis elegans* DNA topoisomerase I (1219) 47
Pascolo, E., Hudrisier, D., Sproat, B., Thuong, N.T. and Toulmé, J.-J.
Relative contribution of photo-addition, helper oligonucleotide and RNase H to the antisense effect of psoralen-oligonucleotide conjugates, on in vitro translation of *Leishmania* mRNAs (1219) 98
Payne, R.M. and Strauss, A.W.
Developmental expression of sarcomeric and ubiquitous mitochondrial creatine kinase is tissue-specific (1219) 33
Pellicer, A., see Jeffers, M. (1219) 623
Philipsen, S., see Pruzina, S. (1219) 351
Pingoud, A., see Wenz, C. (1219) 73
Poirier, G.G., see Brochu, G. (1219) 342
Premaratne, S., Swenson, S.D., Mandel, M. and Mower, H.F.
Detection of small quantities of double stranded DNA by enhanced fluorescence of substituted aldehyde modified polydeoxynucleotide-ethidium bromide complexes (1219) 422
Prince, R.W., Xu, Y., Libby, S.J. and Fang, F.C.
Cloning and sequencing of the gene encoding the RpoS (KatF) σ factor from *Salmonella typhimurium* 14028s (1219) 198
Prinz, C., see Reuben, M. (1219) 321
Proud, C.G., see Flynn, A. (1219) 293
Pruzina, S., Antoniou, M., Hurst, J., Grosveld, F. and Philipsen, S.
Transcriptional activation by hypersensitive site three of the human β-globin locus control region in murine erythroleukemia cells (1219) 351

Que, Q., see Mitra, A. (1219) 244

Rafestin-Oblin, M.E., see Couette, B. (1219) 607
Raman, V., Rand, K.N. and Hill, R.J.
Transfer of a functional arabinose operator-repressor system to *Drosophila melanogaster* Schneider line-2 cells (1219) 441
Rampersad, V., Elliott, C.E., Nutt, S.L., Foldes, R.L. and Kamboj, R.K.
Human glutamate receptor hGluR3 flip and flop isoforms: cloning and sequencing of the cDNAs and primary structure of the proteins (1219) 563
Rand, K.N., see Raman, V. (1219) 441
Rawlings, D.J., see Shahabuddin, M. (1219) 191
Rees, W.D., see Saqib, K.M. (1219) 398
Rempel, A., Bannasch, P. and Mayer, D.
Differences in expression and intracellular distribution of hexokinase isoenzymes in rat liver cells of different transformation stages (1219) 660
Requena, J.M., see Soto, M. (1219) 533
Reuben, M., Rising, L., Prinz, C., Hersey, S. and Sachs, G.
Cloning and expression of the rabbit gastric CCK-A receptor (1219) 321

Rhee, S.-K., see Song, K.-B. (1219) 163
Richard-Foy, H., see Couette, B. (1219) 607
Richardson, R.T. and O'Rand, M.G.
Cloning and sequencing of cDNAs for rabbit preproacrosin and a novel preproacrosin-related cDNA (1219) 215
Rising, L., see Reuben, M. (1219) 321
Robinson, C., see Bonass, W.A. (1219) 690
Ronchi, S., see Simonic, T. (1219) 706
Rousset, B., see Briolay, A. (1219) 39
Roux, B., see Briolay, A. (1219) 39

Sachs, G., see Reuben, M. (1219) 321
Sakagami, H., see Ebina, K. (1219) 148
Sakai, M., see Oridate, N. (1219) 499
Sandbrink, R., Masters, C.L. and Beyreuther, K.
Complete nucleotide and deduced amino acid sequence of rat amyloid protein precusor-like protein 2 (APLP2/APPH): two amino acids length difference to human and murine homologues (1219) 167
Saqib, K.M., Hay, S.M. and Rees, W.D.
The expression of *Escherichia coli* diaminopimelate decarboxylase in mouse 3T3 cells (1219) 398
Sarafan, N., see Diarra-Mehrpour, M. (1219) 551
Sasaki, J., see Kawauchi, H. (1219) 179
Savontaus, M., see Glumoff, V. (1219) 613
Scheiner, O., see Swoboda, I. (1219) 457
Schlammadinger, J., see Tóth, G. (1219) 314
Schmalix, W.A. and Bandlow, W.
SWH1 from yeast encodes a candidate nuclear factor containing ankyrin repeats and showing homology to mammalian oxysterol-binding protein (1219) 205
Schock, D., see Backus, J.W. (1219) 1
Scholten, I.H.J.M., see Mulder, W. (1219) 713
Scholten, I.H.J.M., see Mulder, W. (1219) 719
Schoonderwoert, V.T.G., see Holthuis, J.C.M. (1219) 184
Schuetz, E.G., see Furuya, K.N. (1219) 636
Schuetz, J.D., see Furuya, K.N. (1219) 636
Scotto, L., see Asiedu, C.K. (1219) 55
Seehra, J., see DeStefano, J.J. (1219) 380
Seetharam, B., see Li, N. (1219) 515
Seetharam, S., see Li, N. (1219) 515
Seib, T., Welter, C., Engel, M., Theisinger, B. and Dooley, S.
Presence of regulatory sequences within intron 4 of human and murine c-myb genes (1219) 285
Seki, S., see Akiyama, K. (1219) 15
Selent, U., see Wenz, C. (1219) 73
Servel, N., see Gianquinto, L. (1219) 223
Sesboüé, R., see Diarra-Mehrpour, M. (1219) 551
Shah, G.M., see Brochu, G. (1219) 342
Shahabuddin, M., Rawlings, D.J. and Kaslow, D.C.
A novel glucose-6-phosphate dehydrogenase in *Plasmodium falciparum*: cDNA and primary protein structure (1219) 191
Shatsky, I.N., see Flynn, A. (1219) 293
Shaw, K.J., see Smith, D.L. (1219) 465
Shiokawa, K., see Tooi, O. (1219) 121
Shore, R.C., see Bonass, W.A. (1219) 690
Simonic, T., Gaudi, S., Giussani, F., Malcovati, M., Ronchi, S. and Tenchini, M.L.
cDNA sequence for bovine ribosomal protein L3 carrying a bipartite nuclear targeting motif, identified also in many other ribosomal proteins (1219) 706
Smidt, M.P., Wijnholds, J., Snippe, L., Van Keulen, G. and AB, G.
Binding of a bZip protein to the estrogen-inducible apoVLDL II promoter (1219) 115
Smith, D.L., Law, R.E., Shaw, K.J., Do, Y.S., Hsueh, W.A. and Morris, B.J.
Proximal 2.6 kb of 5′-flanking DNA is insufficient for human renin promoter activity in renin-synthesizing chorio-decidual cells (1219) 465
Smith, H.C., see Backus, J.W. (1219) 1
Smith, R.J., see Beesley, C.E. (1219) 548
Snippe, L., see Smidt, M.P. (1219) 115
Song, K.-B., Lee, S.-K., Joo, H.-K. and Rhee, S.-K.
Nucleotide and derived amino acid sequences of an extracellular sucrase gene (*invB*) of *Zymomonas mobilis* ZM1 (ATCC10988) (1219) 163
Sood, G.K., see Li, N. (1219) 515
Soto, M., Requena, J.M., Morales, G. and Alonso, C.
The *Leishmania infantum* histone H3 possesses an extremely divergent N-terminal domain (1219) 533
Sproat, B., see Pascolo, E. (1219) 98
Stanley, K.K., see Gaëta, B.A. (1219) 307
Strauss, A.W., see Payne, R.M. (1219) 33
Strauss, K.I., Isaacs, K.R., Ha, Q.N. and Jacobowitz, D.M.
Calretinin is expressed in the Leydig cells of rat testis (1219) 435
Sugg, N., see Donahue, J.P. (1219) 228
Sugimoto, Y., see Kusakabe, T. (1219) 555
Sugiura, Y., see Yonezawa, A. (1219) 369
Suzuki, Y., see Miyashita, H. (1219) 241
Swanson, R., see Morgan, E.T. (1219) 475
Swenson, S.D., see Premaratne, S. (1219) 422
Swida, U., see Lanio, W. (1219) 576
Swoboda, I., Scheiner, O., Kraft, D., Breitenbach, M., Heberle-Bors, E. and Vicente, O.
A birch gene family encoding pollen allergens and pathogenesis-related proteins (1219) 457
Szabó, G., see Tóth, G. (1219) 314

Takasawa, S., see Miyashita, H. (1219) 241
Takatsuki, A., see Kimura, M. (1219) 653
Tamura, T., see Nothwang, H.G. (1219) 361
Tanaka, H., see Hinuma, S. (1219) 251
Tanaka, K., see Nothwang, H.G. (1219) 361
Taroni, F., see Montermini, L. (1219) 237
Tashiro, K., see Tooi, O. (1219) 121
Taylor, G.R., see Brown, W.M. (1219) 219
Temple, S.J., see Beesley, C.E. (1219) 548
Tenchini, M.L., see Simonic, T. (1219) 706
Theisinger, B., see Seib, T. (1219) 285
Thibeault, L., see Brochu, G. (1219) 342
Thomas, K.B., see Morgan, E.T. (1219) 475
Thuong, N.T., see Pascolo, E. (1219) 98
Timmers, H.Th.M., see Holstege, F.C.P. (1219) 157
Tooi, O., Fujii, G., Tashiro, K. and Shiokawa, K.
Molecular cloning of cDNA for XTCAD-1, a novel *Xenopus* cadherin, and its expression in adult tissues and embryos of *Xenopus laevis* (1219) 121
Tóth, G., Schlammadinger, J. and Szabó, G.
DNA uptake stimulating protein from *Neurospora crassa* enhances DNA and oligonucleotide uptake also in mammalian cells (1219) 314
Toulmé, J.-J., see Pascolo, E. (1219) 98

Unemoto, T., see Nakamura, T. (1219) 701
Unno, M., see Miyashita, H. (1219) 241
Utakoji, T., see Yamada, K. (1219) 581

Vales, T., see Morgan, E.T. (1219) 475
Van der Vliet, P.C., see Holstege, F.C.P. (1219) 157
Van Keulen, G., see Smidt, M.P. (1219) 115
Van Roon, H., see Mulder, W. (1219) 719
Van Wezel, G.P., Woudt, L.P., Vervenne, R., Verdurmen, M.L.A., Vijgenboom, E. and Bosch, L.

Cloning and sequencing of the *tuf* genes of *Streptomyces coelicolor* A3(2) (1219) 543
Vehanen, J., see Glumoff, V. (1219) 613
Venditti, P., Costanzo, G., Negri, R. and Camilloni, G.
ABFI contributes to the chromatin organization of *Saccharomyces cerevisiae* ARS1 B-domain (1219) 677
Verderio, E., see Montermini, L. (1219) 237
Verdurmen, M.L.A., see Van Wezel, G.P. (1219) 543
Vervenne, R., see Van Wezel, G.P. (1219) 543
Vicente, O., see Swoboda, I. (1219) 457
Vijgenboom, E., see Van Wezel, G.P. (1219) 543
Vosman, B., see Kok, R.G. (1219) 601
Vuorio, E., see Glumoff, V. (1219) 613

Wang, B. and Williamson, G.
Detection of a nuclear protein which binds specifically to the antioxidant responsive element (ARE) of the human NAD(P)H:quinone oxidoreductase gene (1219) 645
Wang, D.-z., Ma, J.-x., Chao, L. and Chao, J.
Molecular cloning and sequence analysis of rat bradykinin B_2 receptor gene (1219) 171
Wang, H., see Montermini, L. (1219) 237
Watanabe, T., see Miyashita, H. (1219) 241
Welter, C., see Seib, T. (1219) 285
Wende, W., see Wenz, C. (1219) 73
Wenz, C., Selent, U., Wende, W., Jeltsch, A., Wolfes, H. and Pingoud, A.
Protein engineering of the restriction endonuclease *Eco*RV: replacement of an amino acid residue in the DNA binding site leads to an altered selectivity towards unmodified and modified substrates (1219) 73
Widłak, W., see Lisowska, K. (1219) 64
Wijnholds, J., see Smidt, M.P. (1219) 115
Williamson, G., see Wang, B. (1219) 645
Wiśniewski, J., see Lisowska, K. (1219) 64
Wolfe, K.H., see Butler, G. (1219) 711
Wolfes, H., see Wenz, C. (1219) 73
Wolniczek, P., see Lisowska, K. (1219) 64
Woudt, L.P., see Van Wezel, G.P. (1219) 543
Wright, K., see Morgan, E.T. (1219) 475
Wu, W., see DeStefano, J.J. (1219) 380

Xu, Y., see Prince, R.W. (1219) 198

Yamada, K. and Itoh, R.
Involvement of DNA polymerase δ and/or ϵ in joining UV-induced DNA single strand breaks in human fibroblasts (comparison of effects of butylphenyldeoxyguanosine with aphidicolin) (1219) 302
Yamada, K., Kato, H., Kanda, N., Fujii-Kuriyama, Y., Utakoji, T. and Itoh, R.
Sequence homology of Chinese hamster metallothionein genes I and II to those of the mouse and rat, and their amplification in Cd-resistant cells (1219) 581
Yamada, T., see Hotokezaka, H. (1219) 175
Yamaguchi, I., see Kimura, M. (1219) 653
Yamamoto-Otake, H., see Matsuyama, A. (1219) 559
Yamamuro, N., see Nakamura, T. (1219) 701
Yao, R., Macario, A.J.L. and Conway de Macario, E.
An archaeal S-layer gene homolog with repetitive subunits (1219) 697
Yasukochi, Y., see Chibazakura, T. (1219) 592
Yokota, K., see Ebina, K. (1219) 148
Yonaha, M., see Chibazakura, T. (1219) 592
Yonekura, H., see Miyashita, H. (1219) 241
Yonezawa, A. and Sugiura, Y.
DNA binding mode of class-IIS restriction endonuclease *Fok*I revealed by DNA footprinting analysis (1219) 369
Yoshida, M.C., see Akiyama, K. (1219) 15

Zhang, Q.-X. and Baldwin, G.S.
Structures of the human cDNA and gene encoding the 78 kDa gastrin-binding protein and of a related pseudogene (1219) 567
Zhou, L., see Brown, W.M. (1219) 219
Zhu, W. and Ito, J.
Purification and characterization of PRD1 DNA polymerase (1219) 267
Zhu, W., Leavitt, M.C., Jung, G. and Ito, J.
Mutagenesis of a highly conserved lysine 340 of the PRD1 DNA polymerase (1219) 260
Zimmerman, S.B., see Murphy, L.D. (1219) 277